

f¹
receiving said call data signals indicative of called number identification data automatically provided by the communication system (DNIS) including a called number dialed by individual callers to select a specific operating format from a plurality of operating formats within said operations of the interface and identification signals relating to the callers;

selectively providing verbal prompts to callers **[to]** in accordance with said specific operating format based on the identification signals;

2x
receiving data entered by the **[for]** callers **[to said specific operating format]** from said remote terminals in response to said verbal prompts wherein at least certain of said data may also serve to identify the callers;

providing a data base computer to store received data for callers to update callers' files that maintain a historical record for each caller, the received data stored in a form having an identifiable relationship to each caller and for use in subsequent processing, the data base computer including verification means for credit verification of said callers **[to]** in accordance with said specific operating format [, based on said data received for callers to said specific operating format]

Sub
f2
33. (Amended) A process for controlling operations of an interface with a telephonic communication system including remote terminals for individual callers, wherein each of said remote terminals comprises a telephonic instrument including voice communication means and digital input means in the form of an array of alphabetic numeric buttons for providing data and wherein said telephonic communication system has a central capability to automatically provide call data signals indicative of called number identification data (DNIS), said process including the steps of:

E2
receiving said call data signals indicative of called number identification data automatically provided by the telephonic communication system (DNIS) including a called number dialed by individual callers to select a specific operating format from a plurality of operating formats within said operations of the interface;

generating sequence data relating to transactions with at least certain callers and storing the sequence data;

F2
Cont.

providing verbal prompts to said callers [to] in accordance with said specific operating format from a plurality of predetermined messages and for receiving data from said callers [to said specific operating formats] in response to verbal prompts; and

providing a data base computer for storing said data for said callers received in accordance with said specific operating format in a form having an identifiable relationship to each caller, said data stored to update a file for each of said callers that maintains a historical record for each caller and is used for subsequent processing, said data base computer further including a credit verification means, and wherein the data base computer automatically accesses the credit verification means for credit verification of said callers based on said data received from said remote terminal apparatus.

F2

Sub
F4

41. (Amended) A process for controlling operations of an interface with a telephonic communication system including remote terminals for individual callers, wherein each of said remote terminals comprises a telephonic instrument including voice communication means and digital input means in the form of an array of alphabetic numeric buttons for providing data and wherein said telephonic communication system has a central capability to automatically provide call data signals indicative of called number identification data (DNIS) and calling number identification data, said process including the steps of:

receiving said call data signals indicative of called number identification data automatically provided by the communication system (DNIS) including a called number dialed by individual callers to select a specific operating format from a plurality of operating formats within said operations of the interface;

providing verbal prompts to callers to said specific operating format;

receiving data for callers to said specific operating format from said remote terminals in response to said verbal prompts;

storing said data with an identifiable relation to each caller to update a historical record on each caller for subsequent processing;

testing said calling number identification data to specify a basis for entitlement defining a limit on use, for restricting the extent of access to said system for a respective one of said certain of said individual callers

F3